

C3I Data Report Jan 1, 2019 to June 30, 2019

Start of Block: Cancer Center Information

Q1.1 INSTRUCTIONS This questionnaire will collect information from all C3I grantees for the funding period of Jan 1, 2019 through June 30, 2019. The completed questionnaire (including the data report) is due July 31, 2019. Please answer all questions about your Cancer Center setting(s) and Tobacco Treatment Program (TTP) / cessation services for this reporting period. You will enter the reach and effectiveness data into this online survey, working from the Data Report Worksheet (posted on the portal). The protocol for data reporting is also posted on the portal. You may stop and continue the survey later without losing any responses if you open the link from the same IP address.


Page Break

Q1.2 Please enter your contact information:

☐ First name (1) _____

☐ Last name (2) _____

☐ Email address (3) _____




Q1.3 Select whether you are part of C3I Cohort 1 or Cohort 2

☐ Cohort 1 (1)

☐ Cohort 2 (2)

Display This Question:

If Q1.3 = 1



Q1.4 Cohort 1: Please select your NCI Cancer Center/affiliated University from the list:

- ☐ Baylor University (1)
- ☐ Case Western Reserve University (2)
- ☐ Duke University (3)
- ☐ Georgetown University (4)
- ☐ Indiana University (5)
- ☐ Medical University of South Carolina (6)
- ☐ New York University (7)
- ☐ University of California Davis (8)
- ☐ University of Chicago (9)
- ☐ University of Colorado Denver (10)
- ☐ University of Iowa (11)
- ☐ University of Kansas (12)
- ☐ University of Kentucky (13)
- ☐ University of Minnesota (14)
- ☐ University of New Mexico (15)
- ☐ University of North Carolina at Chapel Hill (16)
- ☐ University of Pennsylvania (17)
- ☐ University of Utah (18)
- ☐ University of Virginia (19)
- ☐ Vanderbilt University (20)
- ☐ Washington University (21)

☐ Yale University (22)

Display This Question:

If $Q1.3 = 2$




Q1.5 Cohort 2: Please select your NCI Cancer Center/affiliated University from the list:

- ☐ Columbia University (23)
- ☐ Dana-Farber/Harvard University (24)
- ☐ Dartmouth College (25)
- ☐ Emory University (26)
- ☐ Mayo Clinic (27)
- ☐ Memorial Sloan-Kettering (28)
- ☐ Moffitt Cancer Center (29)
- ☐ Mount Sinai/Tisch (30)
- ☐ Northwestern University (31)
- ☐ Oregon Health and Sciences University (32)
- ☐ Roswell Park (33)
- ☐ Stanford University (34)
- ☐ University of Arizona (35)
- ☐ University of California San Francisco (36)
- ☐ University of Michigan (37)
- ☐ University of Pittsburgh Medical Center (38)
- ☐ University of Texas Southwestern (39)
- ☐ Virginia Commonwealth University (40)
- ☐ Wake Forest University (41)
- ☐ Wayne State University (42)

End of Block: Cancer Center Information

Start of Block: EHR and TTP Characteristics



Q2.1 How often is smoking status **required** to be updated/recorded in the EHR?

- ☐ Not required to be recorded in the EHR (0)
- ☐ Required to be recorded at new patient visits only (1)
- ☐ Required to be recorded more frequently than new patient visits, but not required at every visit (2)
- ☐ Required to be recorded at every patient visit (3)
- ☐ Other (please describe): (4)

- ☐ Don't know/Not sure (9)

Page Break



Q2.2 Is patient use of electronic cigarettes/electronic nicotine delivery systems (ENDS; including any type of “vaping” device such as JUUL) assessed in the EHR?

- ☐ No (2)
- ☐ Yes. Enter the exact text of the question(s) that is (are) used to record e-cigarette/ENDS use: (1) _____
- ☐ Don't know/not sure (9)

Display This Question:

If Q2.2 = 1



Q2.3 How often is use of electronic cigarettes/electronic nicotine delivery systems (ENDS; including any type of “vaping” device such as JUUL) required to be updated/recorded in the EHR?

- ☐ Not required to be recorded in the EHR (0)
- ☐ Required to be recorded at new patient visits only (1)
- ☐ Required to be recorded more frequently than new patient visits, but not required at every visit (2)
- ☐ Required to be recorded at every patient visit (3)
- ☐ Other (please describe): (4)

- ☐ Don't know/Not sure (9)

Page Break



Q2.4 Please select all of the tobacco treatment services/programs offered to patients within this reporting period:

- ☐ Individually delivered in-person services/program (1)
 - ☐ Group delivered in-person services/program (2)
 - ☐ Brief counseling delivered at the point of care (during patient visit) (3)
 - ☐ Cessation medication (4)
 - ☐ In-house telephone-based program (non-automated) (5)
 - ☐ TelASK (6)
 - ☐ Other IVR (7)
 - ☐ Quitline via fax referral (8)
 - ☐ Quitline via eReferral (9)
 - ☐ SmokefreeTXT without eReferral (10)
 - ☐ SmokefreeTXT via eReferral (11)
 - ☐ Other text/mobile program (12)
 - ☐ Web resource (e.g. Smokefree.gov) (13)
 - ☐ Other (please describe) (14)
-
- ☐ None active during this time period (0)

Page Break



Q2.5 How were patients connected with or referred to a tobacco treatment program or resource during this reporting period? Choose all that apply.

- ☐ No referrals offered/given (1)
 - ☐ Information given and patient initiates (2)
 - ☐ Clinician initiated referral (not via EHR) (3)
 - ☐ EHR referral is optional for smokers (4)
 - ☐ EHR referral is automatic for smokers ("opt-out method") (5)
 - ☐ Other (please describe) (6)
-

Display This Question:

If Q2.5 = 5

Or Q2.5 = 4

Or Q2.5 = 6



Q2.6 Did your program use an EHR based, closed-loop referral system (e.g. EHR-generated referral; EHR is populated with treatment outcomes from an outside tobacco cessation service vendor)?

- ☐ Yes (1)
- ☐ No (2)
- ☐ Don't know/not sure (9)

Page Break



Q2.7 Which of the following populations were referred to tobacco treatment? Choose all that apply.

- ☐ Inpatients (1)
- ☐ Outpatients (2)
- ☐ Family members of patients (3)
- ☐ Community members (4)
- ☐ Other (specify) (5) _____
- ☐ No referrals offered/given (6)

Page Break



Q2.8 Please indicate the status of each of these activities during this reporting period. Indicate "Not applicable" if the activity is not relevant to the type of program you are implementing.

Secure health care system administrative leadership buy-in and support. (q2.8_1)	▼ Not yet started (1) ... Not applicable (4)
Secure health care system clinical leadership buy-in and support. (q2.8_2)	▼ Not yet started (1) ... Not applicable (4)
Secure health care system IT leadership buy-in and support. (q2.8_3)	▼ Not yet started (1) ... Not applicable (4)
Define the new clinical workflow for screening and referring smokers to treatment. (q2.8_4)	▼ Not yet started (1) ... Not applicable (4)
Work with IT to modify the EHR to screen and identify current smokers for treatment. (q2.8_5)	▼ Not yet started (1) ... Not applicable (4)
Work with IT to modify the EHR to refer current smokers to treatment. (q2.8_6)	▼ Not yet started (1) ... Not applicable (4)
Train clinicians and staff in the new clinical workflow. (q2.8_7)	▼ Not yet started (1) ... Not applicable (4)
Pilot the new clinical workflow. (q2.8_8)	▼ Not yet started (1) ... Not applicable (4)
Implement the new clinical workflow ("Go live"). (q2.8_9)	▼ Not yet started (1) ... Not applicable (4)
Develop an evidence based TTP. (q2.8_10)	▼ Not yet started (1) ... Not applicable (4)
Acquire space for the TTP. (q2.8_11)	▼ Not yet started (1) ... Not applicable (4)
Hire staff for the TTP. (q2.8_12)	▼ Not yet started (1) ... Not applicable (4)
Train clinicians and staff to implement the TTP. (q2.8_13)	▼ Not yet started (1) ... Not applicable (4)
Pilot the TTP. (q2.8_14)	▼ Not yet started (1) ... Not applicable (4)
Implement the TTP ("Go live"). (q2.8_15)	▼ Not yet started (1) ... Not applicable (4)
Other major activity (please describe): (q2.8_16)	▼ Not yet started (1) ... Not applicable (4)



Q2.9 Please select the tobacco treatment services that your program billed through insurance for during this reporting period:

- ☐ Medication (1)
 - ☐ Counseling (2)
 - ☐ Both medication and counseling (3)
 - ☐ Did not bill for any tobacco treatment services (4)
-



Q2.10 Please select all of the materials you have created within your program:

- ☐ Marketing/promotional materials for the TTP (1)
 - ☐ General cessation materials (2)
 - ☐ Tailored cessation materials (i.e. for special populations) (3)
 - ☐ Training materials for staff (4)
 - ☐ EHR scripting (orders, smarttext, smartphrases, etc.) (5)
 - ☐ Other type (specify) (6)

 - ☐ No materials created (7)
-

Page Break



Q2.11 Were clinicians or other health care staff trained in referring to and/or delivering any type of tobacco cessation treatment during this reporting period?

☐ Yes. Enter the number of clinicians/staff who were trained: (1)

☐ No (2)

Page Break

Q2.12 Enter the number of dedicated tobacco treatment specialists on staff during this reporting period. Enter "0" if there were no dedicated tobacco treatment specialists on staff.

☐ Part time TTS. Enter the number: (5)

☐ Full time TTS. Enter the number: (4)

Page Break

End of Block: EHR and TTP Characteristics

Start of Block: Data Reporting



Q3.1

Do you have reach data to submit for Jan 1, 2019 to June 30, 2019?

If you select "No", the survey will be submitted with the answers that are completed now. Please only select "No" if you are sure you want to end the survey now and not return to the previous questions.

☐ Yes (1)

☐ No (2)

Skip To: End of Survey If Q3.1 = 2

End of Block: Data Reporting

Start of Block: Reach Data Report

Q4.1 Please list the settings for which you have data to report. You must enter at least 1 setting, even if it is the whole Cancer Center. Leave the other fields blank if you do not have more than 1 setting.

☐ Setting 1 (REQUIRED) (1) _____

☐ Setting 2 (2) _____

☐ Setting 3 (3) _____

☐ Setting 1 (REQUIRED) (1) _____

☐ Setting 2 (2) _____

☐ Setting 3 (3) _____

	Less than 50% (1)	50-75% (2)	Greater than 75% (3)
\$Q4.1/ChoiceTextEntryValue/1 (q4.3_1) If Please list the settings for which you have data to report. You must enter at least 1 setting, ev... Setting 2 Is Not Empty	☐	☐	☐
\$Q4.1/ChoiceTextEntryValue/2 (q4.3_2) If Please list the settings for which you have data to report. You must enter at least 1 setting, ev... Setting 3 Is Not Empty	☐	☐	☐
\$Q4.1/ChoiceTextEntryValue/3 (q4.3_3)			

Page 17 of 129



Q4.4 When did you begin referring patients to any type of tobacco treatment program (TTP)?

	Before Jan 1, 2019 (1)	After Jan 1, 2019 (2)	Not yet referring patients to a TTP (3)
#{Q4.1/ChoiceTextEntryValue/1} (q4.4_1)	☐	☐	☐
If Please list the settings for which you have data to report. You must enter at least 1 setting, ev... Setting 2 Is Not Empty #{Q4.1/ChoiceTextEntryValue/2} (q4.4_2)	☐	☐	☐
If Please list the settings for which you have data to report. You must enter at least 1 setting, ev... Setting 3 Is Not Empty #{Q4.1/ChoiceTextEntryValue/3} (q4.4_3)	☐	☐	☐

Display This Question:

If Q4.4 = 1 [2]

Or Q4.4 = 5 [2]

Or Q4.4 = 6 [2]

Q4.5 You indicated that you began referring patients after Jan 1, 2019. Please enter the date when you began referring patients to a TTP (mm/dd/yyyy).

Q4.4 = 1 [2]

☐ \${Q4.1/ChoiceTextEntryValue/1} (1)

If Please list the settings for which you have data to report. You must enter at least 1 setting, ev... Setting 2 Is Not Empty

And Q4.4 = 5 [2]

☐ \${Q4.1/ChoiceTextEntryValue/2} (5)

If Please list the settings for which you have data to report. You must enter at least 1 setting, ev... Setting 3 Is Not Empty

And Q4.4 = 6 [2]

☐ \${Q4.1/ChoiceTextEntryValue/3} (6)

Page Break

Q4.6 REACH DATA REPORT Please provide data for the reporting period from Jan 1, 2019 to June 30, 2019.


Enter the number of unique patients, not the number of visits. As a reminder, you should report on all patients seen in the setting indicated. This includes patients diagnosed with cancer as well as other types of patients (e.g. screening patients). You may have separate data for different health care settings (for example, if the reports are generated from different health care organizations or EHR systems). There is space to enter data for up to 3 settings. You may not have data to report for every field. Please enter NA for the fields that you do not have data to report. Please be sure to distinguish between 0 (zero) patients and missing or not applicable/NA data.

Page Break



Q4.7 Enter the number of:

	$\{Q4.1/ChoiceTextEntry$ Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/3} (3)
Adult patients (18 and older) (all)			
Patients who were screened for tobacco use and have a document ed smoking status. Do not include those who refuse/dec line to report smoking status. (screened)			
Current cigarette smokers (smokers)			



Q4.8 Enter the number of smokers who engaged/participated in:

	$\{Q4.1/ChoiceTextEntry$ Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/3} (3)
Any type of TTP (This is the total number of unique smokers who engaged in at least one of the TTP listed below) (anyTTP)			
In-house/in-person TTP (group or individual, including point of care) (inperson)			
Telephone-based TTP (non-automated) (tele)			

TelASK or other IVR (telask)			
Quitline (referred by fax or EHR) (quitline)			
Text/mobile resource (e.g. smokefree TXT) (text)			
Web resource (e.g. Smokefree. gov) (web)			
Cessation medication (prescribed or given medication) (med)			
Other type. Please describe: (othTTP)			

End of Block: Reach Data Report

Start of Block: Demographics for current smokers

Q5.1 The next questions ask about demographic information for all current smokers. The total within each demographic group should add up to the total number of current smokers.

NOTE

If your EHR documents the demographic category, but there are no members of that group in your report, enter "0".

However, if the category is not documented in the EHR, please enter "NA".



Q5.2 Enter the number of current smokers who are:

	$\{Q4.1/ChoiceTextEntry$ Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/3} (3)
Male (smok_mal e)			
Female (smok_fem ale)			
Other gender/Not specified (smok_oth sex)			



Q5.3 Enter the number of current smokers who are:

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
American Indian or Alaska Native (smok_aian)			
Asian (smok_asia n)			
Black or African American (smok_black)			
Native Hawaiian or Other Pacific Islander (smok_nhpi)			
White (smok_white)			

More than one race (smok_mult race)			
Unknown/Ot her race (smok_race unk)			



Q5.4 Enter the number of current smokers who are:

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
Hispanic (smok_hisp)			
Non- Hispanic (smok_non hisp)			
Unknown (smok_ethu nk)			



Q5.5 Enter the number of current smokers who are aged:

	$\{Q4.1/ChoiceTextEntry$ Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> $\{Q4.1/ChoiceTextEntry$ Value/3} (3)
18-24 (smok_age 18)			
25-44 (smok_age 25)			
45-64 (smok_age 45)			
65 and older (smok_age 65)			
Unknown (smok_age unk)			



Q5.6 Enter the number of current smokers who have each of the following insurance types as their primary insurance

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
Private insurance (smok_priv)			
Medicare (smok_care)			
Medicaid (smok_caid)			
Military plan (e.g. Tricare/VA) (smok_milit)			
Indian Health Service (smok_ihs)			

Other state/govern ment sponsored insurance (smok_othst ate)			
No insurance coverage (smok_noins)			
Unknown (smok_insun k)			

End of Block: Demographics for current smokers

Start of Block: Demographics for TTP participants

Q6.1 The next questions ask about demographic information for TTP participants. The total within each demographic group should add up to the total number of TTP participants.

NOTE

If your EHR documents the demographic category, but there are no members of that group in your report, enter "0".

However, if the category is not documented in the EHR, please enter "NA".



Q6.2 Enter the number of TTP participants who are:

		If Please list the settings for which you have data to report Setting 2 Is Not Empty \${Q4.1/ChoiceTextEntry Value/2} (2)	If Please list the settings for which you have data to report Setting 3 Is Not Empty \${Q4.1/ChoiceTextEntry Value/3} (3)
Male (ttp_male)			
Female (ttp_female)			
Other gender/Not specified (ttp_others)			



Q6.3 Enter the number of TTP participants who are:

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
American Indian or Alaska Native (ttp_aian)			
Asian (ttp_asian)			
Black or African American (ttp_black)			
Native Hawaiian or Other Pacific Islander (ttp_nhpi)			
White (ttp_white)			

More than one race (ttp_multrace)			
Unknown/Other race (ttp_raceunknown)			



Q6.4 Enter the number of TTP participants who are:

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
Hispanic (ttp_hisp)			
Non- Hispanic (ttp_nonhi sp)			
Unknown (ttp_ethun k)			



Q6.5 Enter the number of TTP participants who are aged:

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
18-24 (ttp_age1 8)			
25-44 (ttp_age2 5)			
45-64 (ttp_age4 5)			
65 and older (ttp_age6 5)			
Unknown (ttp_ageu nk)			



Q6.6 Enter the number of TTP participants who have each of the following insurance types as their primary insurance

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
Private insurance (ttp_priv)			
Medicare (ttp_care)			
Medicaid (ttp_caid)			
Military plan (e.g. Tricare/VA) (ttp_milit)			
Indian Health Service (ttp_ihs)			

Other state/govern ment sponsored insurance (ttp_othstate)			
No insurance coverage (ttp_noins)			
Unknown (ttp_insunk)			

End of Block: Demographics for TTP participants

Start of Block: Optional Reach Measures



Q7.1 OPTIONAL: Enter the number of:

	<code>#{Q4.1/ChoiceTextEntryValue/1}</code> (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> <code>#{Q4.1/ChoiceTextEntryValue/2}</code> (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> <code>#{Q4.1/ChoiceTextEntryValue/3}</code> (3)
Patients who were not screened for smoking/tobacco use (notscreened)			
Patients who refused/declined to report smoking/tobacco use (declinedsmok)			
Non-cigarette tobacco users (otp_user)			
Non-cigarette tobacco users that engaged/participated in a TTP (otp_ttp)			

Patients reporting a household member uses any tobacco products (fam_user)			
Household/family members that engaged/participated in a TTP (fam_ttp)			
Smokers that declined to participate in a TTP (declinedttp)			

End of Block: Optional Reach Measures

Start of Block: Optional reach-TTP offered



Q8.1 OPTIONAL: Enter the number of smokers who were **offered** participation in a tobacco treatment program. NOTE: This is distinct from engagement/participation.

	\${Q4.1/ChoiceTextEntry Value/1} (1)	<i>If Please list the settings for which you have data to report Setting 2 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/2} (2)	<i>If Please list the settings for which you have data to report Setting 3 Is Not Empty</i> \${Q4.1/ChoiceTextEntry Value/3} (3)
Any type of TTP (offer_anyT TP)			
In-house/in- person TTP (group or individual, including point of care) (offer_inper son)			
Telephone- based TTP (non- automated) (offer_tele)			
TelASK or other IVR program (offer_telas k)			

Quitline (referred by fax or EHR) (offer_quit)			
Text/mobile resource (e.g. smokefree TXT) (offer_text)			
Web resource (e.g. Smokefree. gov) (offer_web)			
Cessation medication (prescribed or given medication) (offer_med)			
Other type. Please describe: (othTTP)			

Q8.2 Please upload your data report worksheet, and any other supporting documentation for your data report. This is optional, but encouraged to ensure data accuracy.

Q8.3 Enter any comments/notes for the Coordinating Center here:

End of Block: Optional reach-TTP offered

Start of Block: Effectiveness Part 1



Q9.1 Do you have effectiveness data to submit for Jan 1, 2019 to June 30, 2019? If you select "No", the survey will be submitted with the answers that are completed now.

Please only select "No" if you are sure you want to end the survey now and not return to the previous questions.

☐ Yes (1)

☐ No (2)

Skip To: End of Survey If Q9.1 = 2

Q9.2 EFFECTIVENESS DATA REPORT Effectiveness measures should be reported only among those smokers who have previously engaged/participated in a tobacco treatment program. Within the reporting period, enter data for the time of enrollment /first TTP encounter during reporting period and at 6 month follow-up that occurred during the reporting period. The same patients will not have both baseline and follow up measures within the same reporting period.

"Enrollment" reflects the number of participants who enrolled /first engaged in tobacco treatment during the reporting period Jan 1, 2019 to June 30, 2019.

"6 month follow-up" reflects the number of participants whose 6 month follow-up data were

recorded during the reporting period Jan 1, 2019 to June 30, 2019. The follow-up data should reflect participants who enrolled/first engaged in tobacco treatment in the previous reporting period (July 1, 2018 to Dec 31, 2018).

Page Break



Q9.3 Please indicate the methods used to collect the 6-month follow-up effectiveness data :

- ☐ In-person survey (1)
- ☐ Quitline reports (5)
- ☐ EHR reports (6)
- ☐ Telephone-based survey (non-automated). (2)
- ☐ TelASK or other automated phone /IVR system. (3)
- ☐ Other way: (7) _____

Q9.4 Briefly describe the protocol used to collect 6-month follow-up data. For example, describe who conducts follow-up assessments, when/at what type of visit in-person surveys are administered, how many follow-up calls are attempted, or any other relevant details.

Page Break



Q9.5 EFFECTIVENESS PART 1

Please enter the total number of TTP participants you are reporting effectiveness data on, overall and by TTP type.

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)

Any type of TTP (Total number of unique smokers who engaged in any type of TTP) (effect_allTTP)						
In-house/in-person TTP (group or individual, including point-of-care) (effect_inperson)						
Telephone-based TTP (non-automated) (effect_tele)						
TelASK or other IVR (effect_telask)						

Quitline (referred by fax or EHR) (effect_quit)						
Text/mobile resource (e.g. smokefree TXT) (effect_text)						
Web resource (e.g. Smokefree. gov) (effect_web)						
Cessation medication (prescribed or given medication) (effect_med)						
Other type. Please describe: (effect_othT TP)						

Missing
data/decline
d to report
(effect_miss
)

Page Break



Q9.6 Among the total number of TTP participants with effectiveness data (as entered in the previous question), enter the number that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntryValue/1}		\${Q4.1/ChoiceTextEntryValue/2}		\${Q4.1/ChoiceTextEntryValue/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff) (today)						
1 to 7 days ago (wk)						
8 days to 1 month ago (mth)						
More than 1 month ago to 1 year ago (yr)						
More than 1 year ago (overyr)						

Don't know/d on't rememb er (dk)						
--	--	--	--	--	--	--

Page Break



Q9.7 Among the total number of TTP participants with effectiveness data, please report the number in each of the following demographic categories. *NOTE* If your EHR documents the demographic category, but there are no members of that group in your report, enter "0". However, if the category is not documented in the EHR, please enter "NA".

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)

Male (effect_male)						
Female (effect_fema le)						
Other gender/Unk nown (effect_oths ex)						
American Indian or Alaska Native (effect_aian)						
Asian (effect_asia n)						
Black or African American (effect_black)						

Native Hawaiian or Other Pacific Islander (effect_nhpi)						
White (effect_white)						
More than one race (effect_mult race)						
Unknown/Ot her Race (effect_race unk)						
Hispanic (effect_hisp)						
Non- Hispanic (effect_nonh isp)						

Unknown ethnicity (effect_ethunk)						
Age 18-24 (effect_age18)						
Age 25-44 (effect_age25)						
Age 45-64 (effect_age45)						
Age 65 and older (effect_age65)						
Age unknown (effect_ageunk)						
Private insurance (effect_priv)						

Medicare (effect_care)						
Medicaid (effect_caid)						
Military plan (e.g. Tricare/VA) (effect_milit)						
Indian Health Service (effect_ihs)						
Other state/govern ment sponsored insurance (effect_othst ate)						
No insurance coverage (effect_noin s)						

Insurance unknown (effect_insu nk)						
---	--	--	--	--	--	--

Page Break

Q9.8 EFFECTIVENESS PART 2

Please expand on the Effectiveness Part 1 required item by entering the number of participants of each type TTP type who responded to, "When did you last smoke a cigarette (even one or two puffs)?"

Q9.9 Do you have effectiveness data for participants of an **IN-PERSON TTP** (individual or group)?

☐ Yes (1)

☐ No (2)

Skip To: Q9.11 If Q9.9 = 2



Q9.10 Among the smokers that engaged in an **IN-PERSON TTP** (individual or group, including point of care), enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff) (inperson_to day)						
1 to 7 days ago (inperson_w k)						
8 days to 1 month ago (inperson_m th)						
More than 1 month ago to 1 year ago (inperson_yr)						
More than 1 year ago (inperson_o veryr)						

Don't know/don't remember (inperson_d k)						
--	--	--	--	--	--	--

Page Break



Q9.11 Do you have effectiveness data for participants of a **TELEPHONE BASED TTP** (non-automated)?

☐ Yes (1)

☐ No (2)

Skip To: Q9.13 If Q9.11 = 2



Q9.12 Among the smokers that engaged in an **TELEPHONE BASED TTP** (non-automated) enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff) (tele_tod ay)						
1 to 7 days ago (tele_wk)						
8 days to 1 month ago (tele_mth)						
More than 1 month ago to 1 year ago (tele_yr)						
More than 1 year ago (tele_ove ryr)						

Don't know/don 't remembe r (tele_dk)						
--	--	--	--	--	--	--

Page Break

Q9.13 Do you have effectiveness data for participants of **TELASK OR ANOTHER IVR program?**

☐ Yes (1)

☐ No (2)

Skip To: Q9.15 If Q9.13 = 2



Q9.14 Among the smokers that engaged in **TELASK or OTHER IVR** enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	{\$Q4.1/ChoiceTextEntryV alue/1}		{\$Q4.1/ChoiceTextEntryV alue/2}		{\$Q4.1/ChoiceTextEntryV alue/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff) (ivr_toda y)						
1 to 7 days ago (ivr_wk)						
8 days to 1 month ago (ivr_mth)						
More than 1 month ago to 1 year ago (ivr_yr)						
More than 1 year ago (ivr_over yr)						

Don't know/do n't rememb er (ivr_dk)						
---	--	--	--	--	--	--

Page Break

Q9.15 Do you have effectiveness data for participants of a **QUITLINE**?

☐ Yes (1)

☐ No (2)

Skip To: Q9.17 If Q9.15 = 2



Q9.16 Among the smokers that engaged in a **QUITLINE**, enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff). (quit_tod ay)						
1 to 7 days ago (quit_wk)						
8 days to 1 month ago (quit_mth)						
More than 1 month ago to 1 year ago (quit_yr)						
More than 1 year ago (quit_ove rr)						

Don't know/don 't remembe r (quit_dk)						
--	--	--	--	--	--	--

Page Break

Q9.17 Do you have effectiveness data for participants of a **TEXT/MOBILE BASED TTP**?

☐ Yes (1)

☐ No (2)

Skip To: Q9.19 If Q9.17 = 2



Q9.18 Among the smokers that engaged in a **TEXT/MOBILE BASED TTP**, enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	{\$Q4.1/ChoiceTextEntry Value/1}		{\$Q4.1/ChoiceTextEntry Value/2}		{\$Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff). (text_tod ay)						
1 to 7 days ago (text_wk)						
8 days to 1 month ago (text_mth)						
More than 1 month ago to 1 year ago (text_yr)						
More than 1 year ago (text_ove rr)						

Don't know/don 't remembe r (text_dk)						
--	--	--	--	--	--	--


Page Break

Q9.19 Do you have effectiveness data for participants of a **WEB BASED TTP**?

☐ Yes (1)

☐ No (2)

Skip To: Q9.21 If Q9.19 = 2



Q9.20 Among the smokers that engaged in a **WEB BASED TTP**, enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff). (web_tod ay)						
1 to 7 days ago (web_wk)						
8 days to 1 month ago (web_mth)						
More than 1 month ago to 1 year ago (web_yr)						
More than 1 year ago (web_ove ryr)						

Don't know/don 't remembe r (web_dk)						
---	--	--	--	--	--	--


Page Break

Q9.21 Do you have effectiveness data for smokers prescribed a **CESSATION MEDICATION**?

☐ Yes (1)

☐ No (2)

Skip To: Q9.23 If Q9.21 = 2



Q9.22 Among the smokers that were prescribed a **CESSATION MEDICATION**, enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff). (med_tod ay)						
1 to 7 days ago (med_wk)						
8 days to 1 month ago (med_mth)						
More than 1 month ago to 1 year ago (med_yr)						
More than 1 year ago (med_ove ryr)						

Don't know/don' t remembe r (med_dk)						
---	--	--	--	--	--	--


Page Break

Q9.23 Do you have effectiveness data for **PARTICIPANTS OF ANOTHER TYPE OF TTP?**

☐ Yes (1)

☐ No (2)

Skip To: End of Block If Q9.23 = 2



Q9.24 Among the smokers that were **PARTICIPANTS OF ANOTHER TYPE OF TTP**, enter the number that that reported the following categories when asked, "When did you last smoke a cigarette (even one or two puffs)?"

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

I smoked a cigarette today (at least one puff). (othttp_today)						
1 to 7 days ago (othttp_wk)						
8 days to 1 month ago (othttp_mth)						
More than 1 month ago to 1 year ago (othttp_yr)						
More than 1 year ago (othttp_veryr)						
Don't know/don't remember (othttp_dk)						

Page Break

End of Block: Effectiveness Part 1

Start of Block: Effectiveness Part 2.1

Q10.1

Please expand on the Effectiveness Part 1 required item, "When did you last smoke a cigarette (even one or two puffs)?". Enter the number of TTP participants (of any TTP type) falling into each of the demographic categories listed for each response to the required item.

NOTE

If your EHR documents the demographic category, but there are no members of that group in your report, enter "0".

However, if the category is not documented in the EHR, please enter "NA".



Q10.2 Enter the number of TTP participants who: **Smoked a cigarette today (at least 1 puff)**

	{\$Q4.1/ChoiceTextEntry Value/1}		{\$Q4.1/ChoiceTextEntry Value/2}		{\$Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)

Male (today_male)						
Female (today_fema le)						
Other gender/Unk nown (today_oths ex)						
American Indian or Alaska Native (today_aian)						
Asian (today_asia n)						
Black or African American (today_black)						

Native Hawaiian or Other Pacific Islander (today_nhpi)						
White (today_white)						
More than one race (today_multirace)						
Unknown/Other Race (today_raceunk)						
Hispanic (today_hisp)						
Non-Hispanic (today_nonhisp)						

Unknown ethnicity (today_ethu nk)						
Age 18-24 (today_age1 8)						
Age 25-44 (today_age2 5)						
Age 45-64 (today_age4 5)						
Age 65 and older (today_age6 5)						
Age unknown (today_ageu nk)						
Private insurance (today_priv)						

Medicare (today_care)						
Medicaid (today_caid)						
Military plan (e.g. Tricare/VA) (today_milit)						
Indian Health Service (today_ihs)						
Other state/govern ment sponsored insurance (today_othst ate)						
No insurance coverage (today_noin s)						

Insurance Unknown (today_insu nk)						
--	--	--	--	--	--	--

End of Block: Effectiveness Part 2.1

Start of Block: Effectiveness Part 2.2.



Q11.1 Enter the number of TTP participants who: **Smoked a cigarette 1 to 7 days ago**

	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)

Male (wk_male)						
Female (wk_female)						
Other gender/Unk nown (wk_othsex)						
American Indian or Alaska Native (wk_aian)						
Asian (wk_asian)						
Black or African American (wk_black)						
Native Hawaiian or Other Pacific Islander (wk_nhpi)						

White (wk_white)						
More than one race (wk_mult race)						
Unknown/Ot her Race (wk_raceunk)						
Hispanic (wk_hisp)						
Non- Hispanic (wk_nonhisp)						
Unknown ethnicity (wk_unketh)						
Age 18-24 (wk_age18)						

Age 25-44 (wk_age25)						
Age 45-64 (wk_age45)						
Age 65 and older (wk_age65)						
Age unknown (wk_ageunk)						
Private insurance (wk_priv)						
Medicare (wk_care)						
Medicaid (wk_caid)						

Military plan (e.g. Tricare/VA) (wk_milit)						
Indian Health Service (wk_ihs)						
Other state/govern ment sponsored insurance (wk_othstate)						
No insurance coverage (wk_noins)						
Insurance Unknown (wk_unkins)						

End of Block: Effectivness Part 2.2.

Start of Block: Effectiveness Part 2.3.



Q12.1 Enter the number of TTP participants who: **Smoked a cigarette 8 days to 1 month ago**

	{\$Q4.1/ChoiceTextEntry Value/1}		{\$Q4.1/ChoiceTextEntry Value/2}		{\$Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)


Male (mth_male)						
Female (mth_female)						
Other gender/Unk nown (mth_othsex)						
American Indian or Alaska Native (mth_aian)						
Asian (mth_asia)						
Black or African American (mth_black)						

Native Hawaiian or Other Pacific Islander (mth_nhpi)						
White (mth_white)						
More than one race (mth_multirace)						
Unknown/Other Race (mth_raceunknown)						
Hispanic (mth_hisp)						
Non-Hispanic (mth_nonhispanic)						

Unknown ethnicity (mth_ethunk)						
Age 18-24 (mth_age18)						
Age 25-44 (mth_age25)						
Age 45-64 (mth_age45)						
Age 65 and older (mth_age65)						
Age unknown (mth_ageunk)						
Private insurance (mth_priv)						

Medicare (mth_care)						
Medicaid (mth_caid)						
Military plan (e.g. Tricare/VA) (mth_milit)						
Indian Health Service (mth_ihs)						
Other state/govern ment sponsored insurance (mth_othstat e)						
No insurance coverage (mth_noins)						

Start of Block: Effectiveness Part 2.4.



Male (yr_male)						
Female (yr_female)						
Other gender/Unk nown (yr_othsex)						
American Indian or Alaska Native (yr_aian)						
Asian (yr_asian)						
Black or African American (yr_black)						
Native Hawaiian or Other Pacific Islander (yr_nhpi)						

White (yr_white)						
More than one race (yr_multirace)						
Unknown/Ot her Race (yr_raceunk)						
Hispanic (yr_hisp)						
Non- Hispanic (yr_nonhisp)						
Unknown ethnicity (yr_ethunk)						
Age 18-24 (yr_age18)						
Age 25-44 (yr_age25)						

Age 45-64 (yr_age45)						
Age 65 and older (yr_age65)						
Age unknown (yr_ageunk)						
Private insurance (yr_priv)						
Medicare (yr_care)						
Medicaid (yr_caid)						
Military plan (e.g. Tricare/VA) (yr_milit)						

Indian Health Service (yr_ihs)						
Other state/govern ment sponsored insurance (yr_othstate)						
No insurance coverage (yr_noins)						
Insurance Unknown (yr_unkins)						

End of Block: Effectiveness Part 2.4.

Start of Block: Effectiveness Part 2.5.

Page Break



Q14.1 Enter the number of TTP participants who: **Smoked a cigarette more than 1 year ago**


	{\$Q4.1/ChoiceTextEntry Value/1}		{\$Q4.1/ChoiceTextEntry Value/2}		{\$Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)

Male (overyr_male)						
Female (overyr_female)						
Other gender/Unknown (overyr_others)						
American Indian or Alaska Native (overyr_american)						
Asian (overyr_asian)						
Black or African American (overyr_black)						

Native Hawaiian or Other Pacific Islander (overyr_nhpi)						
White (overyr_whit e)						
More than one race (overyr_mult race)						
Unknown/Ot her Race (overyr_race unk)						
Hispanic (overyr_hisp)						
Non- Hispanic (overyr_non hisp)						

Unknown ethnicity (overyr_ethu nk)						
Age 18-24 (overyr_age 18)						
Age 25-44 (overyr_age 25)						
Age 45-64 (overyr_age 45)						
Age 65 and older (overyr_age 65)						
Age unknown (overyr_age unk)						
Private insurance (overyr_priv)						

Medicare (overyr_care)						
Medicaid (overyr_caid)						
Military plan (e.g. Tricare/VA) (overyr_milit)						
Indian Health Service (overyr_ihs)						
Other state/govern ment sponsored insurance (overyr_oths tate)						
No insurance coverage (overyr_noin s)						



	$\$ \{Q4.1/ChoiceTextEntryValue/1\}$		$\$ \{Q4.1/ChoiceTextEntryValue/2\}$		$\$ \{Q4.1/ChoiceTextEntryValue/3\}$	
	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)	Enrollment (0)	6 month Follow-up (6)

Male (dklastsmoked_male)						
Female (dklastsmoked_female)						
Other gender/Unknown (dklastsmoked_othersex)						
American Indian or Alaska Native (dklastsmoked_american)						
Asian (dklastsmoked_asian)						
Black or African American (dklastsmoked_black)						

Native Hawaiian or Other Pacific Islander (dklastsmoked_n hpi)						
White (dklastsmoked_ white)						
More than one race (dklastsmoked_ multrace)						
Unknown/Other Race (dklastsmoked_r aceunk)						
Hispanic (dklastsmoked_h isp)						
Non-Hispanic (dklastsmoked_n onhisp)						

Unknown ethnicity (dklastsmoked_e thunk)						
Age 18-24 (dklastsmoked_a ge18)						
Age 25-44 (dklastsmoked_a ge25)						
Age 45-64 (dklastsmoked_a ge45)						
Age 65 and older (dklastsmoked_a ge65)						
Age unknown (dklastsmoked_a geunk)						
Private insurance (dklastsmoked_p riv)						

Medicare (dklastsmoked_c are)						
Medicaid (dklastsmoked_c aid)						
Military plan (e.g. Tricare/VA) (dklastsmoked_ milit)						
Indian Health Service (dklastsmoked_i hs)						
Other state/governmen t sponsored insurance (dklastsmoked_o thstate)						
No insurance coverage (dklastsmoked_n oins)						




	\${Q4.1/ChoiceTextEntry Value/1}		\${Q4.1/ChoiceTextEntry Value/2}		\${Q4.1/ChoiceTextEntry Value/3}	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)
Number with a past 30 day quit attempt (quitatte mpt)						



Q16.2 OPTIONAL: Among the smokers that engaged in a TTP, enter the number that reported each of the following cigarette use categories in response to the question, "In the past 30 days, did you smoke cigarettes every day, some days, or not at all?"

	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)
Every day (p30d_ed)						
Some days (p30d_sd)						
Not at all (p30d_no ne)						
Don't know/don 't remembe r (p30d_dk)						



	$\$ \{Q4.1 / ChoiceTextEntryValue / 1\}$		$\$ \{Q4.1 / ChoiceTextEntryValue / 2\}$		$\$ \{Q4.1 / ChoiceTextEntryValue / 3\}$	
	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)	Enrollment (0)	6 Month Follow-up (6)

1-4 cigarettes (qnt1)						
5-9 cigarettes (qnt5)						
10-14 cigarettes (qnt10)						
15-19 cigarettes (qnt15)						
20 (1 pack) or more (qnt20)						
Don't know/d on't remember (qntdk)						

Page Break

Q16.4

Thank you for your responses. This is the end of the survey. You can go back and edit your responses. Clicking through this question will submit the survey.

Please use this space to enter any comments about the survey and data report that you would like to report to the Coordinating Center.

If you have any questions, please send an email to: hdangelo@wisc.edu .

End of Block: Optional Measures
