

C3I Biannual Report Overview

Survey

Measure	Description
Frequency with which tobacco use status is updated in the EHR	(e.g., at new patient visits only, at every visit)
Tobacco treatment services offered to patients	(e.g., individual counseling, group counseling, cessation medications, Quitline referral)
Modality of tobacco treatment counseling delivery	(e.g., in-person, by telephone, by video)
Settings in which the tobacco treatment program has been adopted	(e.g., cancer center wide, part of the cancer center, primary care settings, affiliated settings)
Referral method	(e.g., clinician initiated, automated EHR referral, proactive outreach)
Populations eligible for treatment	(e.g., inpatients, outpatients, family members)
Status of implementation activities	(e.g., not yet started, in progress, completed, maintenance, not applicable)
Services billed for through insurance	(e.g., medications, counseling)
Materials created for the program	(e.g., marketing materials, tailored cessation materials, training materials, etc.)
Staff training	Whether health care staff were trained in referring to or delivering tobacco treatment and the number trained.
Number of tobacco treatment specialists on staff	Measured in full-time equivalent (FTE) units
Sustainability capacity	Clinical Sustainability Assessment Tool (CSAT) ratings

Reach and Effectiveness Report

Measure	Description
Setting	Centers could report reach and effectiveness data for up to 3 settings
Reach	The proportion of patients identified as currently smoking who received at least one evidence-based tobacco treatment component (e.g., counseling and/or pharmacotherapy)
Demographics data for patients using tobacco and program participants	Sex, race, ethnicity, age, and insurance data
Effectiveness	The proportion of patients who received TTP treatment reporting 7-day point prevalence abstinence at 6-month follow-up
Demographics data for participants with 6-month follow-up data	Sex, race, ethnicity, age, and insurance data